

# Safety Quarter-Turn Pr20.1 L18

1-085



## Advantages

- For cutout Pr20.1.
- Completely closed housing surface.
- Operation not possible without an appropriate key. (only keys form A, B, C or D of 6-100).
- The double bit key is captive in open position, pull-off force max. 300N.
- Vibration-proof also at high sealing pressure through an integrated latch.
- IP65 according to DIN EN 60529.
- RH / LH application.
- Grounding by single-sided grounding nut.
- The quarter-turn can be screwed into the cutout with the pre-assembled cam.

## Material

- **Housing:** zinc die, black or chrome plated
- **Spring loaded link, escutcheon and insert:** zinc die, chrome plated

## Remarks

(S) Door-thickness max. 8mm

Completely pre-assembled **without** cam.

Attention! Also the black version always has the spring loaded link, escutcheon and insert in chrome plated.

1. single-sided grounding nut
2. escutcheon
3. spring loaded link
4. flush, closed surface

## Safety quarter-turn, zinc die

	Product number	Surface	Version	Insert	Installation type	Delivery Unit
a)	255-9801.00-00000	chrome plated	RH / LH	Square 6mm	screw-on	10 pcs.
a)	255-9802.00-00000	chrome plated	RH / LH	Square 7mm	screw-on	10 pcs.
a)	255-9803.00-00000	chrome plated	RH / LH	Square 8mm	screw-on	10 pcs.
b)	255-9806.00-00000	chrome plated	RH / LH	Triangular 6.5mm CNOMO	screw-on	10 pcs.
b)	255-9804.00-00000	chrome plated	RH / LH	Triangular 7mm	screw-on	10 pcs.
b)	255-9805.00-00000	chrome plated	RH / LH	Triangular 8mm	screw-on	10 pcs.

	Product number	Surface	Version	Insert	Installation type	Delivery Unit
c)	255-9807.00-00000	chrome plated	RH version	Double bit 3mm pin	screw-on	10 pcs.
c)	255-9808.00-00000	chrome plated	LH version	Double bit 3mm pin	screw-on	10 pcs.
c)	255-9809.00-00000	chrome plated	RH version	Double bit 5mm pin	screw-on	10 pcs.
c)	255-9810.00-00000	chrome plated	LH version	Double bit 5mm pin	screw-on	10 pcs.
a)	255-9851.00-00000	black	RH / LH	Square 6mm	screw-on	10 pcs.
a)	255-9852.00-00000	black	RH / LH	Square 7mm	screw-on	10 pcs.
a)	255-9853.00-00000	black	RH / LH	Square 8mm	screw-on	10 pcs.
b)	255-9854.00-00000	black	RH / LH	Triangular 7mm	screw-on	10 pcs.
b)	255-9855.00-00000	black	RH / LH	Triangular 8mm	screw-on	10 pcs.
b)	255-9856.00-00000	black	RH / LH	Triangular 6.5mm CNOMO	screw-on	10 pcs.
c)	255-9857.00-00000	black	RH version	Double bit 3mm pin	screw-on	10 pcs.
c)	255-9858.00-00000	black	LH version	Double bit 3mm pin	screw-on	10 pcs.
c)	255-9859.00-00000	black	RH version	Double bit 5mm pin	screw-on	10 pcs.
c)	255-9860.00-00000	black	LH version	Double bit 5mm pin	screw-on	10 pcs.

