

# Swinghandle 130 for Rod Latch 2-400.01

2-400



## Advantages

- Swinghandles and dual cylinder swinghandles for rod latches with internal release.
- Door-thicknesses from 20 to 106mm.
- With 90° closing rotation.
- RH/LH application.

## Material

a) and b)

- **Swinghandle:** PA, black or zinc die, black
- **Dish:** PA, black

c)

- **Swinghandle, dish and cap:** zinc die, black

## Remarks

(S) Door-thickness max. 3mm

Profile half cylinders and their assembly must be ordered separately.

Rod latch see 2-400.01

## Swinghandle for rod latch

	Product number	Latching type	Cutout	Handle material	Cylinder cover	Installation type	Delivery Unit
a)	207-9052.00-00000	PHZ 40mm	130/Ø46	PA		screw-on	1 pc.
a)	207-9053.00-00000	PHZ 40mm	130/Ø46	PA	Yes	screw-on	1 pc.
a)	207-9054.00-00000	PHZ 45mm	130/Ø46	PA	Yes	screw-on	1 pc.
a)	207-9055.00-00000	PHZ 45mm	130/Ø46	zinc die	Yes	screw-on	1 pc.
b)	207-9315.00-00000	PHZ 40mm	130/□46	PA		screw-on	1 pc.
b)	207-9316.00-00000	PHZ 40mm	130/□46	PA	Yes	screw-on	1 pc.

---

Product number	Latching type	Cutout	Handle material	Cylinder cover	Installation type	Delivery Unit
b) 207-9317.00-00000	PHZ 45mm	130/□46	PA	Yes	screw-on	1 pc.
b) 207-9318.00-00000	PHZ 45mm	130/□46	zinc die	Yes	screw-on	1 pc.

---

## Dual cylinder swinghandle for rod latch

---

Product number	Latching type	Cutout	Handle material	Cylinder cover	Installation type	Delivery Unit
c) 207-9416.00-00000	PHZ 40/45mm	130/□46	zinc die	Yes	screw-on	1 pc.

---

