

Escutcheon PrA / PrC Stainless Steel

7-034



Advantages

- a) lock cover compatible with rod latch cutout A.
- a1) lock cover compatible with rod latch cutout C.
- Lock covers are fixed into the cutout together with the rod latch.
- Version for cutout C is secured in both upper and lower cutout (mounting screws are part of the delivery).
- IP65 according to DIN EN 60529 with sealing kit for cutout A or C.

Material

- **Escutcheons:** AISI 316
- **Inserts:** AISI 316 or AISI 303

Remarks

Sealing kit for lock cover **PrA**

= 209-9010.00-00000 (consisting of: 1xb + 1xc)

Sealing kit for lock cover **PrC**

= 209-9011.00-00000 (consisting of: 2xb + 1xc)

Door-thickness 1.5 - 2.5mm

Actuation of the rod latch with inserts d) – d4).

Escutcheons

| | Product number | Version | Cutout | Installation type | Delivery Unit |
|-----|-------------------|-------------------------------|--------|-------------------|---------------|
| a) | 208-9304.00-00000 | | PrA | screwed | 1 pc. |
| a1) | 208-9504.00-00000 | | PrC | screwed | 1 pc. |
| a2) | 208-9310.00-00000 | for conical square insert 9mm | PrA | screwed | 1 pc. |

Inserts

| | Product number | Insert | Material | Delivery Unit |
|-----|-------------------|--------------------|----------|---------------|
| d) | 208-9218.00-00000 | Square 7mm | AISI 303 | 1 pc. |
| d1) | 208-9219.00-00000 | Square 8mm | AISI 303 | 1 pc. |
| d2) | 208-9220.00-00000 | Double bit 3mm pin | AISI 316 | 1 pc. |
| d3) | 208-9221.00-00000 | Double bit 5mm pin | AISI 316 | 1 pc. |
| d4) | 208-9222.00-00000 | Triangular 7mm | AISI 303 | 1 pc. |
| d5) | 208-9223.00-00000 | Conical square 9mm | AISI 316 | 1 pc. |



