

# DST Slam Latch PrA

6-125DST



## Advantages

- Low profile slam latch PICCOLO with DIRAK-SNAP-Technology.
- For flush doors, suitable for lighter applications.
- This slam latch is particularly suitable for closing doors and flaps.
- To release after unlocking, just push the upper, clearly marked part of the handle. The lower part then can be pulled-out and this disengages the spring loaded slam-bolt.
- The spring-loaded slam bolt has a free-stroke, allowing slamming of closed and locked handles.

## Material

- **Housing, handle and slam-bolt:** PA, black
- **Cam and pin:** steel, zinc plated
- **Snap wedges:** sintered steel
- **Cylinder:** zinc die, black

## Remarks

### Installation:

enter slam-side into the cutout first and then snap-in the unit.

**Only available with key number 23211.**

1. stroke

## Slam Latch

Product number	Clamping range (S)	Latching type	Version	Installation type	Delivery Unit
482-9001.00-00015	1.2 mm - 1.7 mm	keyed alike No. 23211	without key	tool-less	10 pcs.
482-9001.00-00020	1.7 mm - 2.2 mm	keyed alike No. 23211	without key	tool-less	10 pcs.
482-9001.00-00025	2.2 mm - 2.7 mm	keyed alike No. 23211	without key	tool-less	10 pcs.
482-9002.00-00015	1.2 mm - 1.7 mm	keyed alike No. 23211	with 2 keys	tool-less	10 pcs.

---

Product number	Clamping range (S)	Latching type	Version	Installation type	Delivery Unit
482-9002.00-00020	1.7 mm - 2.2 mm	keyed alike No. 23211	with 2 keys	tool-less	10 pcs.
482-9002.00-00025	2.2 mm - 2.7 mm	keyed alike No. 23211	with 2 keys	tool-less	10 pcs.
482-9003.00-00015	1.2 mm - 1.7 mm		with blind plug	tool-less	10 pcs.
482-9003.00-00020	1.7 mm - 2.2 mm		with blind plug	tool-less	10 pcs.
482-9003.00-00025	2.2 mm - 2.7 mm		with blind plug	tool-less	10 pcs.

---

