

Escutcheon and Inserts

1-430.01



Advantages

- Escutcheon a, a1: for all inserts.
- Escutcheon b, b1: double bit key for cell- or cabinet doors of electrical switchgears. The double bit key is removable only in closed position.
Insert: double bit with 3mm (f) oder 5mm pin (f1).
- RH / LH application.
- IP65 to DIN EN 60529 (optional).

Material

Escutcheon and insert: zinc die, black

Remarks

(S) Door-thickness max. 4mm

Please configure the escutcheon with insert and rod latch 1-400, 1-405, 1-410 and 1-415.

Quarter-turn, PA

	Product number	Name	Delivery Unit
a)	235-9203.00-00000	Escutcheon A 20, universal	1 pc.
a1)	235-9204.00-00000	Escutcheon A 26, universal	1 pc.
b)	235-9201.00-00000	Escutcheon A 20 only for double bit	1 pc.
b1)	235-9202.00-00000	Escutcheon A 26, only for double bit	1 pc.

Inserts with screw M6x10

	Product number	Insert	Delivery Unit
c)	235-9101.00-00000	Square 6mm	1 pc.
c1)	235-9102.00-00000	Square 7mm	1 pc.
c2)	235-9103.00-00000	Square 8mm	1 pc.

	Product number	Insert	Delivery Unit
d)	235-9104.00-00000	Triangular 6.5mm CNOMO	1 pc.
d1)	235-9105.00-00000	Triangular 7mm	1 pc.
d2)	235-9106.00-00000	Triangular 8mm	1 pc.
e)	235-9109.00-00000	Daimler Benz type	1 pc.
f)	235-9107.00-00000	Double bit 3mm pin	1 pc.
f1)	235-9108.00-00000	Double bit 5mm pin	1 pc.

