

# Flat Rod FS

3-161



## Advantages

- Flat rods for ramp-shoe 3-162.
- **Version a)** With two square holes 6.2mm.
- Calculation of the rod length:  $L1 = \text{center of square to center of square}$ .
- **Version b)** With one square hole 6.2mm for self cutting. These flat rods are specially designed to allow for custom length rods.
- Calculation of the rod length:  $L1 = \text{center of square to end of rod}$ .
- The top of the flat rod can be provided with a square 6.2mm or a round  $\varnothing 7.5\text{mm}$  hole as shown in figure.

## Material


- **Flat rod:** steel, zinc plated

## Remarks

Dimension x - see product system 3-162

Version with rod guides see product system 3-160.

DIRAK recommends **2** rod guides for rods with length greater than 200mm.



## Flat rods 14 x 3mm

	Product number	Square hole	L1	Delivery Unit
a)	208-0934.00-Lxxmm	2x 6.2mm		on request
b)	208-0905.15-Lxxmm	1x 6.2mm		on request
b)	208-0905.15-00800	1x 6.2mm	800 mm	1 pc.
b)	208-0905.15-01000	1x 6.2mm	1000 mm	1 pc.
b)	208-0905.15-01200	1x 6.2mm	1200 mm	1 pc.

